

Notice of Allowability

Application No.

10/566,755

Examiner

Mahmoud Gimie

Applicant(s)

BOEHLAND ET AL.

Art Unit

3747

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 4/26/07.
2. ☒ The allowed claim(s) is/are 18-37.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The primary reason for allowance of claims 18,27,28,35,36 and 37 is, in addition to the preamble, the inclusion of the limitations of

"The control valve (72) is able to set at least three different pressure levels in the control chamber (38); wherein all of the valve elements (16,18) are closed at a comparatively high pressure level; wherein one valve element (18) is open at a medium pressure level; and wherein all of the valve elements (16,18) are open at a comparatively low pressure level" in claim 18;

"Wherein the valve elements are coaxial to each other and an axial boundary surface of the control chamber (38) has a sealing region (36) which, in an open end position of the outer valve element (18), subdivides the control chamber (38) into an outer region connected to the high-pressure connection (42) and an inner region connected to the control valve (72)." and "" in claims 27 and 28;

"The method comprising the steps of first connecting the control chamber (38) to a low-pressure connection (58) and then, simultaneously connecting the control chamber to

Art Unit: 3747

the low-pressure connection (58) and a high-pressure connection (42) in order to open only one valve element" in claim 35;

"The method comprising the steps of first connecting the control chamber (38) to the low-pressure connection (58) and then, additionally connecting the control chamber to the high-pressure connection (42) in order to open only one valve element" in claim 36;

"The method comprising closing the control valve (72) shortly before the pressure in the control chamber (38) has fallen far enough for the inner valve element (16) to open, and opening the control valve again shortly before the outer valve element (18) closes " in claim 37 that the prior art of record neither taught nor suggested

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mahmoud Gimie whose telephone number is 571-272-4841. The examiner can normally be reached on Monday-Friday between 7 a.m. -3:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen K. Cronin can be reached on 571-272-4536. The fax phone

Art Unit: 3747

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MG



MAHMOUD GIMIE
PRIMARY EXAMINER